

DECLARATION OF PERFORMANCE - CPR 305/2011

16

| | | | |
|-----------------------------|---|--|--------------------------|
| 1 | Unique code of the product | 4453GP | |
| | Description | Standard pressure locked grating panel, in S235JR UNI EN 10025-2:2019 steel, bearing bar 20x2, transverse bar 10x2, mesh 33x33, for polyester basement window wells, with reinforcement bar, hot-dip galvanized, loading class A15 Standards UNI-EN 1433:2008. | |
| 2 | Intended use or uses of the product | Structural carbon steel grating where vehicular and/or pedestrian traffic is foreseen. | |
| 3 | Manufacturer | GRIDIRON SPA Via E.Fermi - Z.I. RAMERA 31010 MARENO DI PIAVE (TV) Tel.:0438492502 - Fax:0438492545 Email: info@gridiron.it | |
| 4 | Agent | ND | |
| 5 | System of AVCP | Sistema 2+ | |
| 6a | Standard | EN 1090-1:2009 + A1:2011 | |
| | Notified Body | SGS SPA - Milano (Italy) Certificato Nr.1381-CPR 507 | |
| Declared performance | | | |
| 7 | Essential characteristics | Performance | Harmonized standard |
| | Dimensional tolerances | - | EN 1090-1:2009 + A1:2011 |
| | Weldability | - | |
| | Crush resistance | - | |
| | Fire resistance | - | |
| | Reaction to fire | Class A1 according to standard EN 13501-1 | |
| | Cadium release | - | |
| | Radioactivity emission | - | |
| | Durability | Galvanized surface as per standard EN ISO 1461. Galvanizing durability according to EN ISO 14713. | |
| | Project reference | - | |
| | Execution class | - | |
| 8 | <p>The performance of the product identified above is in conformity with the set of declared performances. This declaration of responsibility is issued, in accordance with Regulation (EU) No 305/2011, under the responsibility of the manufacturer identified above.</p> | | |
| MARENO DI PIAVE, 01/08/2016 | | Signed for and on behalf of the manufacturer GIANCARLO ZANETTE Administrator | |
| DOP N. 4453GP Rev.1 | |  | |