



## TECHNICAL SHEET



<b>CODE</b>	4F06S
<b>DESCRIPTION</b>	Vibro-compressed concrete channel MOD. VIBRO-BASE 100 (H2), H165 mm, L. 500 mm. Channel average runoff section sqcm. 124.
<b>PRODUCT LINE</b>	Drainage channel type "M"
<b>MATERIAL</b>	Vibro-compressed Concrete
<b>SERIES TYPE</b>	Vibrobase series 100
<b>SECTION TYPE</b>	H2
<b>PROFILE TYPE</b>	Without profiles
<b>VERSION TYPE</b>	Normal without built-in slope
<b>STANDARD</b>	EN 1433:2008
<b>LOADING CLASS</b>	C250 - EN 1433:2008
<b>INTENDED USE OR USES OF THE PRODUCT</b>	Collection and channelling of surface water into areas subject to pedestrian and/or vehicle traffic according to the indicated flow rate.
<b>DURABILITY</b>	NPD
<b>WATER FLOW LT / SEC</b>	0,5%=9,2 - 1%=13 - 1,5%=16 - 2%=18,4 - 3%=22,6



Article dimensions mm	Inner width mm	Runoff section cmq	Weight Kg/each
500 x 166 x H 165	100	124	15,92