



TECHNICAL SHEET



ASSEMBLED CODE	4G0DSLCI
DESCRIPTION	Polymer concrete channel MOD. POLY FLY 100 LOW, with AISI 304 stainless steel protective edge rails, c/w AISI 304 stainless steel press-formed metal sheet grating, 12/10, 8 mm slots, installed. Channel runoff section cm ² 70. Load class A15 according to EN 1433:2008 Norm, if installed following manufacturer instructions.
PRODUCT LINE	Drainage channel type "M"
STANDARD	EN 1433:2008
LOADING CLASS	A15 - EN 1433:2008
INTENDED USE OR USES OF THE PRODUCT	Collection and channelling of surface water into areas subject to pedestrian and/or vehicle traffic according to the indicated flow rate.
DURABILITY	NPD
QUANTITY PER PACK	78
1) CHANNEL	4G0DS
MATERIAL	Polymer Concrete
SERIES TYPE	Polyfly series 100
SECTION TYPE	Low
PROFILE TYPE	Stainless Steel Profiles
VERSION TYPE	Normal without built-in slope
WATER FLOW LT / SEC	0,5%=5 - 1%=7 - 1,5%=8,6 - 2%=9,9 - 3%=12,2
2) GRID	4D01LCI
MATERIAL	Inox AISI 304 - X5 CrNi 18 10



Article dimensions mm	Inner width mm	Runoff section cmq	Bottom outlet mm	Weight Kg/each
1000 x 154 x H 101	107	70	Ø110	13,74