


## TECHNICAL SHEET



<b>ASSEMBLED CODE</b>	4PG3PZGF
<b>DESCRIPTION</b>	Polymer concrete sump unit for mod. P265, with cast-iron edge protection rails, c/w no. 1 cast-iron grating GJS500-7 mm.265x500 h30 blocked, load class F900 according to EN 1433:2008 Norm, if installed following manufacturer instructions.
<b>PRODUCT LINE</b>	Concrete sump unit
<b>STANDARD</b>	EN 1433:2008
<b>LOADING CLASS</b>	F900 - EN 1433:2008
<b>INTENDED USE OR USES OF THE PRODUCT</b>	Collection and channelling of surface water into areas subject to pedestrian and/or vehicle traffic according to the indicated flow rate.
<b>DURABILITY</b>	NPD
<b>1) CHANNEL</b>	4PG3PZ
<b>MATERIAL</b>	Polymer Concrete
<b>SERIES TYPE</b>	P series 265
<b>SECTION TYPE</b>	Standard
<b>PROFILE TYPE</b>	ductile iron PROFILES
<b>VERSION TYPE</b>	Normal without built-in slope
<b>2) GRID</b>	4R03GSF
<b>GRID TYPE</b>	Ductile-iron Grid
<b>MATERIAL</b>	Ductile-Iron GJS500-7 : EN1563
<b>SURFACE FINISH</b>	Paint coating



Article dimensions mm	Inner width mm	Runoff section cmq	Bottom outlet mm	Weight Kg/each
500 x 281 x H 730	200	365	Ø200	123,43