


## TECHNICAL SHEET



|  |   |
|--|---|
| <b>ASSEMBLED CODE</b>                      | 4RP1MSGG  |
| <b>DESCRIPTION</b>                         | P150 polymer concrete drain channel, with Gridiron's special galvanized edge rails, c/w GSJ500-7 cast-iron painted grid, dim. 150x500 H25, runoff section sqcm. 90. Loading class D400 accordingly to UNI-EN 1433:2008 Norm as for installation instructions. |
| <b>PRODUCT LINE</b>                        | Drainage channel type "M"   |
| <b>STANDARD</b>                            | EN 1433:2008  |
| <b>LOADING CLASS</b>                       | D400 - EN 1433:2008   |
| <b>INTENDED USE OR USES OF THE PRODUCT</b> | Collection and channelling of surface water into areas subject to pedestrian and/or vehicle traffic according to the indicated flow rate.   |
| <b>DURABILITY</b>                          | Grades of weathering resistance: W +R (§6.3.3.3 EN 1433:2008)   |
| <b>1) CHANNEL</b>                          | 4RP1MS  |
| <b>MATERIAL</b>                            | Polymer Concrete  |
| <b>SERIES TYPE</b>                         | P series 150  |
| <b>SECTION TYPE</b>                        | Standard  |
| <b>PROFILE TYPE</b>                        | Galvanized edge   |
| <b>VERSION TYPE</b>                        | Normal without built-in slope   |
| <b>2) GRID</b>                             | 4R01GS2   |
| <b>GRID TYPE</b>                           | Ductile-iron Grid   |
| <b>MATERIAL</b>                            | Ductile-Iron GJS500-7 : EN1563  |
| <b>SURFACE FINISH</b>                      | Paint coating   |



| Article dimensions mm | Inner width mm | Runoff section cmq | Weight Kg/each |
|-----------------------|----------------|--------------------|----------------|
| 500 x 166 x H 160     | 93             | 95                 | 14,73          |