


TECHNICAL SHEET



ASSEMBLED CODE	4XLM0SGS
DESCRIPTION	Self-supporting reinforced concrete channel TYPE I, mod. XL, c/w protective edge rails in steel S275JR galvanized, suitable for ductile iron gratings GJS500-7, loading class F900 as per EN 1433 Norm. Dimension: H=510mm, W=580mm, L=5000mm. Water passage 335mm, run off section 987 cm ² .
PRODUCT LINE	Drainage channel type "I"
STANDARD	EN 1433:2008
LOADING CLASS	F900 - EN 1433:2008
INTENDED USE OR USES OF THE PRODUCT	Collection and channelling of surface water into areas subject to pedestrian and/or vehicle traffic according to the indicated flow rate.
DURABILITY	Grades of weathering resistance: W +R (§6.3.3.3 EN 1433:2008)
1) CHANNEL	4XLM0S
MATERIAL	Reinforced concrete
SERIES TYPE	XL series 410
SECTION TYPE	H2
PROFILE TYPE	Galvanized edge
VERSION TYPE	Normal without built-in slope
2) GRID	4XLM0GS
GRID TYPE	Ductile-iron Grid
MATERIAL	Ductile-Iron GJS500-7 : EN1563
SURFACE FINISH	Paint coating



Article dimensions mm	Inner width mm	Runoff section cmq	Weight Kg/each
5000 x 580 x H 510	335	987	2.590