

Wenzel InovaGear




Wenzel InovaGear



Wenzel InovaGear

HACH
CALIBRATION 





Wenzel InovaGear



Wenzel InovaGear

HACH
CALIBRATION





Wenzel InovaGear




Wenzel InovaGear

HACH 
CALIBRATION



Wenzel InovaGear



Wenzel InovaGear – Specs:



- Max. workpiece diameter= **50 to 270mm**- Max. tableload = **50daN**
- Axes travel **X= 350mm Y=250mm Z=500mm**
- Tailstock travel = **20 to 450mm**
- **Modul** range from **0,5mm**
- Installation area = **2,17m²**
- Build in 2011 – the machine is overhauled
- Accessories like, dog carrier, fixtures and reference sphere as shown
- Optional **6 jaw chuck with 125mm diameter**

Wenzel InovaGear – Specs:



- Included Softwaremodules:
 - TMain – Programm Management
 - TStylus – Stylus Management
 - TCali – Stylus Calibration
 - TAmo – Axis Workpiece Alignment
 - TGear – Spur and helical gear measurement
 - TShaft – Software for Dimension for form, position elementes, diameters, lenght etc.
 - TWorm – Worm measurement

Phone: +49 171 / 40 97 414
Email: andreas@hach-calibration.de



HACH 
CALIBRATION
www.hach-calibration.de